

REGOLATORI GPL - LPG REGULATORS





SAMTECH

.....:

your best partner in lpg systems



Samtech fondata nel 1994 si è imposta in pochi anni nel settore grazie all'alto livello di specializzazione e conta oggi su una presenza in oltre 30 paesi nel mondo.

Questo catalogo rappresenta l'offerta più completa di regolatori per gpl esistente sul mercato frutto della produzione di due società collegate a Samtech: STF e Mondial.

Samtech ha fatto sintesi di know-how e competenze derivanti da oltre venti anni di esperienza nel campo della regolazione, offrendo un catalogo dove il cliente potrà trovare tutte le risposte ai problemi di regolazione della pressione: dalla bombola, al serbatoio, all'impianto industriale, con una gamma di portate in grado di coprire ogni esigenza.

La vasta esperienza dei tecnici Samtech è al servizio del cliente per consigliare sempre la migliore soluzione a garanzia del buon funzionamento dell'impianto.

La qualità del prodotto e l'attenzione per il cliente rimangono le basi su cui Samtech fonda il suo continuo processo di espansione e consolidamento.

Samtech has been created in 1994 and in few years, thanks to the high specialisation level, has imposed its presence on the market, nowadays its sales organisation operates in more than 30 countries all around the world.

The attached catalogue represents the widest offer of regulators for LPG applications now available on the market; the catalogue is the outcome of the production of two associated firms: STF and Mondial.

Samtech has combined know-how and experiences of 20 years presence in regulation field, offering a catalogue in which Customers shall find out all answers connected to regulations matters: cylinders, tanks, industrial plants with a complete range of capacities able to cover all applications.

Samtech's wide technicians background is available in order to suggest the best solution and guarantee the best performance for Customer's plant.

The quality of the product and Customer care remain the basis on which Samtech found its expansion and consolidation.



BUREAU
VERITAS



PED EN 97/23/CE
Manufacturer Company



ISO 9002
Certified Company

INDICE/INDEX

REGOLATORI GPL DI BASSA PRESSIONE <i>LOW PRESSURE LPG REGULATORS</i>	PORTATA CAPACITY KG/H	PAGINA PAGE
REGOLATORI GPL PER BOMBOLE AD USO DOMESTICO <i>CYLINDER LPG REGULATORS FOR HOUSEHOLD INSTALLATION</i>	1,1 ÷ 1,5	4
REGOLATORI GPL PER USI CIVILI E INDUSTRIALI <i>LPG REGULATORS FOR CIVIL AND INDUSTRIAL INSTALLATION</i>	3 ÷ 12	5
REGOLATORI GPL PER USI CIVILI E INDUSTRIALI <i>LPG REGULATORS FOR CIVIL AND INDUSTRIAL INSTALLATION</i>	20 ÷ 250	6
REGOLATORI GPL PER USI CIVILI E INDUSTRIALI <i>LPG REGULATORS FOR CIVIL AND INDUSTRIAL INSTALLATION</i>	250 ÷ 2000	7
RIDUTTORI GPL DI ALTA PRESSIONE <i>HIGH PRESSURE LPG REGULATORS</i>		
RIDUTTORI ALTA PRESSIONE GPL PER BOMBOLE <i>CYLINDER LPG HIGH PRESSURE REGULATORS</i>	4 ÷ 12	8
RIDUTTORI ALTA PRESSIONE PER SERBATOI GPL <i>HIGH PRESSURE REGULATORS FOR LPG TANKS</i>	12 ÷ 140	9
RIDUTTORI GPL PER USO INDUSTRIALE <i>LPG REGULATORS FOR INDUSTRIAL APPLICATIONS</i>	120 ÷ 2000	10
INFORMAZIONI TECNICHE <i>TECHNICAL INFORMATION</i>		11
TABELLA ATTACCHI DI ENTRATA <i>INLET CONNECTIONS TABLE</i>		12
TABELLA ATTACCHI DI USCITA <i>OUTLET CONNECTIONS TABLE</i>		13
CONDIZIONI GENERALI DI VENDITA <i>STANDARD TERMS AND CONDITIONS OF SALES</i>		14/15

REGOLATORI GPL PER BOMBOLE AD USO DOMESTICO

PORTATA / CAPACITY
KG/H
1,1 ÷ 1,5

CYLINDER LPG REGULATORS FOR HOUSEHOLD INSTALLATION



TYPE 080



TYPE 090



TYPE 101



TYPE 120



TYPE 150



TYPE 160



TYPE 170



TYPE SK



TIPO TYPE	RIF. CODICE REF. CODE	PRESSIONE LAVORO OPERATING PRESSURE		PORTATA CAPACITY KG/H	ATTACCHI CONNECTIONS		NOTE NOTES
		TARATURA ADJUSTMENT	mbar mbar		IN	OUT	
060	RGL7103	E	20 ÷ 50	1.1	A 01 ÷ 21	PH10 UNI	verticale / angle connections
065	RGL7130	F	30/37/50	1.1	A 01 ÷ 21	PH10 UNI	verticale / angle connections
080	RGL7103	E	20 ÷ 50	1.1	A 01 ÷ 24	PH10 UNI	
090	RGL7130	F	30/37/50	1.1	A 01 ÷ 24	PH10 UNI	
100	RGL7103	E	20 ÷ 50	1.1	GS 25 H16	PH10 UNI	UNI-CIG IMQ
101	RGL7130	F	30	1.1	GS 25 H16	PH10 UNI	UNI-CIG IMQ
120	RGL9130	F	28/30/37/50	1.3	A 01 ÷ 26	B 01-B 06/07	
150	RGL9330	F	28/30/37/50	1.3	A 01 ÷ 26	M 20 x 1,5	con valvola eccesso flusso with excess flow valve
160	RGL9203	E	20 ÷ 50	1.3	M 16x1,5	PH10 UNI	camping
165	RGL9230	F	30/37/50	1.3	M 16x1,5	PH10 UNI	camping
170	RGL9430	F	28/30/37/50	1.5	A 01 ÷ 26	B 01-B 06/07	

ALTRE PRESSIONI E ATTACCHI SU RICHIESTA / OTHER PRESSURE AND CONNECTIONS ON REQUEST

Tutti i regolatori elencati possono essere forniti con il seguente imballo:

- SK : imballo skin-pack
- SKI : imballo skin-pack con 1,5 mt tubo gpl 8 x 13
- SKIC : SKI con chiave bombola

Al relativo codice va aggiunta la sigla prescelta

All listed regulators can be supplied with the following package:

- SK : skin-pack packaging
- SKI : skin-pack with 1,5 mt lpg pipe 8 x 13
- SKIC : SKI with key

Add to the code the identification type of package

REGOLATORI GPL DI BASSA PRESSIONE LOW PRESSURE LPG REGULATORS



REGOLATORI GPL PER USI CIVILI
E INDUSTRIALI

PORTATA / CAPACITY
KG/H
3 ÷ 12

LPG REGULATORS FOR CIVIL
AND INDUSTRIAL INSTALLATION



TYPE 240



TYPE 250



TYPE 251



TYPE 260



TYPE 265



TYPE 271




TYPE DSR



TYPE 306



TYPE 310



TIPO TYPE	RIF. CODICE REF. CODE	PRESSIONE LAVORO OPERATING PRESSURE		PORTATA CAPACITY KG/H	ATTACCHI CONNECTIONS		NOTE NOTES
		TARATURA ADJUSTMENT	mbar mbar		IN	OUT	
240	RGL7230	F	30/37/50	3-4	F 1/4"	F 3/8"	
243	RGL7205	I	20 ÷ 50	3-4	F 1/4"	F 3/8"	
250	RGL7230	F	30/37/50/67	3-4	A 01 ÷ 26	B 01 ÷ 09	
251	RGL7230	F	30/37/50/67	3-4	A 01 ÷ 26	PH10 UNI	PG smontato/HN disassembled
252	RGL7205	I	20 ÷ 50	3-4	A 01 ÷ 26	PH10 UNI	PG smontato/HN disassembled
253	RGL7205	I	20 ÷ 50	3-4	A 01 ÷ 26	F 3/8"	
260	RGL7330	F	30/37/50/67	4	F 1/4"	F 3/8"	
264	RGL7305	I	20 ÷ 50	4	F 1/4"	F 3/8"	
265	RGL7330	F	30/37/50/67	4	A 01 ÷ 26	B 01 ÷ 09	
271	RGL7330	F	30/37/50/67	4	A 01 ÷ 26	PH10 UNI	
280	RGL7430	F	30/37/50	7	F1/4"-F1/2"	F 1/2"	
286	RGL7405	I	20 ÷ 50	7	F1/4"-F1/2"	F 1/2"	
291	RGL7405	I	20 ÷ 50	7	A 01 ÷ 26	F 1/2"	
300	RGL7530	F	30/37/50	10	F1/4"-F1/2"	F 1/2"	
306	RGL7505	I	20 ÷ 50	10	F1/4"-F1/2"	F 1/2"	
310	RGL7505	I	20 ÷ 50	10	A 01 ÷ 26	F 1/2"	
DSR10SLB	REG822	I	27 ÷ 45	12	GP 3/4"	F1"	con/with Upso-Opso

ALTRE PRESSIONI E ATTACCHI SU RICHIESTA / OTHER PRESSURE AND CONNECTIONS ON REQUEST

REGOLATORI GPL PER USI CIVILI E INDUSTRIALI

PORTATA / CAPACITY
KG/H
20 ÷ 250

LPG REGULATORS FOR CIVIL AND INDUSTRIAL INSTALLATION



TYPE RGB 20



TYPE RGB 35 M1



TYPE DKR 50



TYPE DKR 70



TYPE DKR Upso/Opso



TYPE IPR 75



TYPE IPR 75 Upso/Opso



TYPE IPR flanged



TYPE IPR 150 Upso/Opso

TIPO TYPE	RIF. CODICE REF. CODE	PRESSIONE LAVORO OPERATING PRESSURE		PORTATA CAPACITY KG/H	ATTACCHI CONNECTIONS		NOTE NOTES
		TARATURA ADJUSTMENT	mbar mbar		IN	OUT	
RGB 20	REG120	I	27 ÷ 45	20	F 3/4"	F 3/4"	doppia uscita/double outlet
RGB 20 M1	REG127	I	27 ÷ 45	20	F 3/4"	F 3/4"	manometro/pressure gauge
RGB 20 M1M2	REG128	I	27 ÷ 45	20	F 3/4"	F 3/4"	manometri/pressure gauges
DSR25LB	REG832	I	27 ÷ 45	32	GP 3/4"	F 1"	con/with Upso-Opso
RGB 35	REG130	I	27 ÷ 45	35	F 3/4"	F 3/4"	doppia uscita/double outlet
RGB 35 M1	REG137	I	27 ÷ 45	35	F 3/4"	F 3/4"	manometro/pressure gauge
RGB 35 M1M2	REG138	I	27 ÷ 45	35	F 3/4"	F 3/4"	manometri/pressure gauges
DKR 50	REG870	I	27 ÷ 45	65	GP 3/4"	F 1"	doppio stadio/double stage
DKR 50 LB	REG872	I	27 ÷ 45	60	F 1"	F 1"	con/with Upso-Opso
DKR 70	REG880	I	27 ÷ 45	90/120	F 1"	F 1"	doppio stadio/double stage
DKR 70 LB	REG882	I	27 ÷ 45	90/120	F 1"	F 1"	con/with Upso-Opso
IPR 75 BP	REG620	I	27 ÷ 45	90/150	F 1"	F 1"	
IPR 75 BP/BL	REG622	I	27 ÷ 45	90/150	F 1"	F 1"	con/with Upso-Opso
IPR 150 BP	REG630	I	27 ÷ 45	190/250	F 1"	F 1" 1/2	
IPR 150 BP/BL	REG632	I	27 ÷ 45	190/250	F 1"	F 1" 1/2	con/with Upso-Opso

ALTRE PRESSIONI E ATTACCHI SU RICHIESTA / OTHER PRESSURE AND CONNECTIONS ON REQUEST

Tutti i regolatori possono essere dotati di attacchi flangiati / All regulators can be supplied with flanged connections

Pressione di ingresso / Inlet pressure: 0,5 ÷ 5 bar

REGOLATORI GPL DI BASSA PRESSIONE LOW PRESSURE LPG REGULATORS



REGOLATORI GPL PER USI CIVILI
E INDUSTRIALI

PORTATA / CAPACITY
KG/H
250 ÷ 2000

LPG REGULATORS FOR CIVIL
AND INDUSTRIAL INSTALLATION



TYPE IPR 300



TYPE IPR 300 Upso/Opso



TYPE IPR 600



TYPE IPR 600 Upso/Opso



TYPE IPR 600 X



TYPE RMI Upso/Opso

TIPO TYPE	RIF. CODICE REF. CODE	PRESSIONE LAVORO OPERATING PRESSURE		PORTATA CAPACITY KG/H	ATTACCHI CONNECTIONS		NOTE NOTES
		TARATURA ADJUSTMENT	mbar mbar		IN	OUT	
IPR 300 BP	REG650	E	27 ÷ 45	250/400	DN 32 PN16	DN 32 PN16	
IPR 300 BP/BL	REG652	E	27 ÷ 45	250/400	DN 32 PN16	DN 32 PN16	con/with Upso-Opso
IPR 300 BP	REG650	E	27 ÷ 45	350/700	DN 40 PN16	DN 40 PN16	
IPR 300 BP/BL	REG652	E	27 ÷ 45	350/700	DN 40 PN16	DN 40 PN16	con/with Upso-Opso
IPR 300 X BP	REG653	E	27 ÷ 45	250/400	DN 32 PN16	DN 32 PN16	monitor+Upso-Opso
IPR 300 XB BP	REG656	E	27 ÷ 45	250/400	DN 32 PN16	DN 32 PN16	doppia/double Upso-Opso
IPR 300 X BP	REG653	E	27 ÷ 45	350/700	DN 40 PN16	DN 40 PN16	monitor+Upso-Opso
IPR 300 XB BP	REG656	E	27 ÷ 45	350/700	DN 40 PN16	DN 40 PN16	doppia/double Upso-Opso
IPR 600 BP	REG680	E	27 ÷ 45	600/900	DN 40 PN16	DN 40 PN16	
IPR 600 BP/BL	REG682	E	27 ÷ 45	600/900	DN 40 PN16	DN 40 PN16	con/with Upso-Opso
IPR 600 BP	REG680	E	27 ÷ 45	750/1.500	DN 50 PN16	DN 50 PN16	
IPR 600 BP/BL	REG682	E	27 ÷ 45	750/1.500	DN 50 PN16	DN 50 PN16	con/with Upso-Opso
IPR 600 X BP	REG683	E	27 ÷ 45	600/900	DN 40 PN16	DN 40 PN16	monitor+Upso-Opso
IPR 600 XB BP	REG686	E	27 ÷ 45	600/900	DN 40 PN16	DN 40 PN16	doppia/double Upso-Opso
IPR 600 X BP	REG683	E	27 ÷ 45	750/1.500	DN 50 PN16	DN 50 PN16	monitor+Upso-Opso
IPR 600 XB BP	REG686	E	27 ÷ 45	750/1.500	DN 50 PN16	DN 50 PN16	doppia/double Upso-Opso
RMI BP	REG690	E	27 ÷ 45	1.200/2.000	DN65 PN 16	DN65 PN 16	
RMI BP/BL	REG692	E	27 ÷ 45	1.200/2.000	DN65 PN 16	DN65 PN 16	con/with Upso-Opso

ALTRE PRESSIONI E ATTACCHI SU RICHIESTA / OTHER PRESSURE AND CONNECTIONS ON REQUEST

Su richiesta portate fino a 10.000 Kg/h / On request capacity up to 10.000 Kg/h

Pressione di ingresso / Inlet pressure: 0,5 ÷ 5 bar

RIDUTTORI ALTA PRESSIONE GPL PER BOMBOLE

PORTATA / CAPACITY
KG/H
4 ÷ 12

CYLINDER LPG HIGH PRESSURE REGULATORS



TYPE 410



TYPE 422



TYPE 423



TYPE 460



TYPE 470



TYPE 480



TYPE 490



TYPE 531



TYPE 533



TIPO TYPE	RIF. CODICE REF. CODE	TARATURA ADJUSTMENT		PORTATA CAPACITY KG/H	ATTACCHI CONNECTIONS		NOTE NOTES
		TIPO TYPE	bar bar		IN	OUT	
410	RGL8702	F	0,5/1/1,5/2÷4	4-12	A 01 ÷ 50	F 1/4"	
422	RGL8603	E	0÷3	4-12	A 01 ÷ 50	F 1/4"	manometro/pressure gauge
423	RGL8703	E	0÷3	4-12	A 01 ÷ 50	PH10 UNI	
425	RGL8903	E	0÷3	4-12	A 01 ÷ 50	PH10 UNI	manometro/pressure gauge
460	RGL8003	E	0÷3	6	A 01 ÷ 21	PH10 UNI	
470	RGL8103	E	0÷3	6	A 01 ÷ 21	PH10 UNI	manometro/pressure gauge
480	RGL7605	E	0÷3	8	A 01 ÷ 21	PH10 UNI	
490	RGL7705	E	0÷3	8	A 01 ÷ 21	PH10 UNI	manometro/pressure gauge
528	RGL6403	E	0÷3	12	A 01 ÷ 50	F 1/4"	manometro/pressure gauge
531	RGL6003	E	0÷3	12	A 01 ÷ 50	PH10 UNI	
533	RGL6103	E	0÷3	12	A 01 ÷ 50	PH10 UNI	manometro/pressure gauge
536	RGL6002	F	0,5/1/1,5/2÷4	12	A 01 ÷ 50	F 1/4"	

ALTRE PRESSIONI E ATTACCHI SU RICHIESTA / OTHER PRESSURE AND CONNECTIONS ON REQUEST

RIDUTTORI GPL DI ALTA PRESSIONE HIGH PRESSURE LPG REGULATORS



RIDUTTORI ALTA PRESSIONE
PER SERBATOI GPL

PORTATA / CAPACITY
KG/H
12 ÷ 140

HIGH PRESSURE REGULATORS
FOR LPG TANKS



TYPE528



TYPE 568



TYPE 568



TYPE 608



TYPE 636



TYPE IPR 75



TYPE IPR flanged type



TYPE IPR Upso/Opso



TIPO TYPE	RIF. CODICE REF. CODE	TARATURA ADJUSTMENT		PORTATA CAPACITY KG/H	ATTACCHI CONNECTIONS		NOTE NOTES
		TIPO TYPE	bar bar		IN	OUT	
520	RGL5503	E	0÷3	12	F 1/4"	F 1/4"	
526	RGL5503	E	0÷3	12	A 01 ÷ 50	F 1/4"	
528	RGL5903	E	0÷3	12	A 01 ÷ 50	F 1/4"	manometro/p. gauge
528 A	RGL5903	E	0÷3	12	A 01 ÷ 50	F 3/8"	manometro/p. gauge
529 A	RGL5803	E	0÷2	12	A 01 ÷ 50	F 3/8"	man+vds/gauge+relief v.
536	RGL5502	F	0,5/1/1,5/2÷4	12	A 01 ÷ 50	F 1/4"	
560	RGL6003	E	0÷3	25	F 1/4"	F 3/8"	
566	RGL6403	E	0÷3	25	A 01 ÷ 50	F 3/8"	
568	RGL6403	E	0÷3	25	A 01 ÷ 50	F 3/8"	manometro/p. gauge
569	RGL6303	E	0÷2	25	A 01 ÷ 50	F 3/8"	man+vds/gauge+relief v.
571	RGL6002	F	0,5/1/1,5/2÷4	25	A 01 ÷ 50	F 3/8"	
600	RGL6504	E	0÷3	40	F 1/4"	F 3/8"	
603	RGL6704	E	0÷2	40	F 1/4"	F 3/8"	man+vds/gauge+relief v.
608	RGL6604	E	0÷3	40	A 01 ÷ 50	F 3/8"	manometro/p. gauge
609	RGL6803	E	0÷2	40	A 01 ÷ 50	F 3/8"	man+vds/gauge+relief v.
611	RGL6502	F	0,5/1/1,5/2÷4	40	A 01 ÷ 50	F 3/8"	
620	RGL7002	F	0,5/1/1,5/2÷4	40	A 01 ÷ 50	F 3/8"	valvola sicurezza/relief valve
621	RGL6902	F	0,5/1/1,5/2÷4	40	A 01 ÷ 50	F 3/8"	man+vds/gauge+relief v.
630	RGL7002	F	0,5/1/1,5/2÷4	40	GP 3/4"	F 3/8"	valvola sicurezza/relief valve
636	RGL6902	F	0,5/1/1,5/2÷4	40	GP 3/4"	F 3/8"	man+vds/gauge+relief v.
RED100	REG430	I	0,3÷2	100	F 1"	F 1"	
RED100BL	REG432	I	0,3÷2	100	F 1"	F 1"	con/with Upso-Opso
IPR 75 AP	REG620	I	0,5÷2	90/140	F 1"	F 1"	
IPR 75 AP/BL	REG622	I	0,5÷2	90/140	F 1"	F 1"	con/with Upso-Opso

Tutti i riduttori sopra i 100 kg/h possono essere forniti con attacchi flangiati
All regulators up to 100 Kg/h can be supplied with flanged connections

RIDUTTORI GPL PER USO INDUSTRIALE

**PORTATA / CAPACITY
KG/H
120 ÷ 2000**

LPG REGULATORS FOR INDUSTRIAL APPLICATIONS



TYPE IPR 150



TYPE IPR 150 Upso/Opso



TYPE IPR 150 flanged



TYPE IPR 300 Upso/Opso



TYPE IPR 600 X



TYPE RMI Upso/Opso

TIPO TYPE	RIF. CODICE REF. CODE	TARATURA ADJUSTMENT		PORTATA CAPACITY KG/H	ATTACCHI CONNECTIONS		NOTE NOTES
		TIPO TYPE	bar bar		IN	OUT	
IPR 150S AP	REG630	I	0,5÷2	120/180	F 1"	F 1" 1/2	
IPR 150S AP/BL	REG632	I	0,5÷2	120/180	F 1"	F 1" 1/2	con/with Upso-Opso
IPR 150 AP	REG630	I	0,5÷2	190/250	F 1"	F 1" 1/2	
IPR 150 AP/BL	REG632	I	0,5÷2	190/250	F 1"	F 1" 1/2	con/with Upso-Opso
IPR 300 AP	REG650	E	0,5÷2	250/400	DN 32 PN25	DN 32 PN25	
IPR 300 AP/BL	REG652	E	0,5÷2	250/400	DN 32 PN25	DN 32 PN25	con/with Upso-Opso
IPR 300 AP	REG650	E	0,5÷2	350/700	DN 40 PN25	DN 40 PN25	
IPR 300 AP/BL	REG652	E	0,5÷2	350/700	DN 40 PN25	DN 40 PN25	con/with Upso-Opso
IPR 300 X AP	REG653	E	0,5÷2	250/400	DN 32 PN25	DN 32 PN25	monitor+Upso-Opso
IPR 300 XB AP	REG656	E	0,5÷2	250/400	DN 32 PN25	DN 32 PN25	doppia/double Upso-Opso
IPR 300 X AP	REG653	E	0,5÷2	350/700	DN 40 PN25	DN 40 PN25	monitor+Upso-Opso
IPR 300 XB AP	REG656	E	0,5÷2	350/700	DN 40 PN25	DN 40 PN25	doppia/double Upso-Opso
IPR 600 AP	REG680	E	0,5÷2	600/900	DN 40 PN25	DN 40 PN25	
IPR 600 AP/BL	REG682	E	0,5÷2	600/900	DN 40 PN25	DN 40 PN25	con/with Upso-Opso
IPR 600 AP	REG680	E	0,5÷2	750/1.500	DN 50 PN25	DN 50 PN25	
IPR 600 AP/BL	REG682	E	0,5÷2	750/1.500	DN 50 PN25	DN 50 PN25	con/with Upso-Opso
IPR 600 X AP	REG683	E	0,5÷2	600/900	DN 40 PN25	DN 40 PN25	monitor+Upso-Opso
IPR 600 XB AP	REG686	E	0,5÷2	600/900	DN 40 PN25	DN 40 PN25	doppia/double Upso-Opso
IPR 600 X AP	REG683	E	0,5÷2	750/1.500	DN 50 PN25	DN 50 PN25	monitor+Upso-Opso
IPR 600 XB AP	REG686	E	0,5÷2	750/1.500	DN 50 PN25	DN 50 PN25	doppia/double Upso-Opso
RMI AP	REG690	E	0,5÷2	1.200/2.000	DN 65 PN25	DN 65 PN25	
RMI AP/BL	REG692	E	0,5÷2	1.200/2.000	DN65 PN 25	DN 65 PN25	con/with Upso-Opso

ALTRE PRESSIONI E ATTACCHI SU RICHIESTA / OTHER PRESSURE AND CONNECTIONS ON REQUEST

Tutti i riduttori possono essere forniti con attacchi flangiati / All regulators can be supplied with flanged connections

Pressione di ingresso / Inlet pressure: 2 ÷ 19 bar


INFORMAZIONI TECNICHE TECHNICAL INFORMATION



Conversioni Conversions

	PROPANO - PROPANE d=1,52	BUTANO - BUTANE d=2,00	GPL - LPG (PROP.+BUT.)d=1,80	METANO - METHANE d=0,55
Kcal/h : 860 - Kwatt	Kg/h x 11987 = Kcal/h	Kg/h x 11785 = Kcal/h	Kg/h x 11865 = Kcal/h	m3/h x 9480 = Kcal/h
	Kcal/h : 11987 = Kg/h	Kcal/h : 11785 = Kg/h	Kcal/h : 11865 = Kg/h	Kcal/h : 9480 = m3/h
Kwatt x 860 = Kcal/h	Kg/h x 47540 = BTU/Hr	Kg/h x 46740 = BTU/Hr	Kg/h x 47056 = BTU/Hr	m3/h x 37600 = BTU/Hr
	BTU/hr : 47540 = Kg/h	BTU/Hr : 46740 = Kg/h	BTU/hr : 47056 = Kg/h	BTU/Hr : 37600 = m3/h
Kcal x 4,185 = KJoule	Kg/h x 50,165 = MJoule/h	Kg/h x 49,320 = MJoule/h	Kg/h x 49,650 = MJoule/h	m3/h 35,858 = MJoule/h
	MJoule/h x 0,0199 = Kg/h	MJoule/h x 0,0202 = Kg/h	MJoule/h x 0,0201 = Kg/h	MJoule/h x 0,0279= m3/h
KJoule x 0,239 = Kcal	Kg/h x 13,938 = Kwatt	Kg/h x 13,703 = Kwatt	Kg/h x 13,796 = Kwatt	m3/h x 11,023 = Kwatt
	Kwatt x 0,0717 = Kg/h	Kwatt x 0,0729 = Kg/h	Kwatt x 0,0725 = Kg/h	Kwatt x 0,0907 = m3/h

Diagramma pressione/temperatura Pressure/temperature diagram



Conversioni di pressione Pressure conversions

By Multiply	To obtain	Pounds per square inch (Psi)	Inches of water column (inches wc)	Feet of water column (Feet wc)	Inches of mercury (inches Hg)	Ounces per square inch (Osi)	Bar	Milibar (mbar)	Kilopascals (k Pa)	Kilograms per square centimeter kg/cm ²
	Psi	1	27.68	2.307	2.036	16	0.06895	68.95	6.895	0.0703
	Inches wc	0.0361	1	0.8333	0.07355	0.5776	0.002491	2.491	0.2491	0.00254
	Feet wc	0.4335	12	1	0.8826	6.936	0.02989	29.89	2.989	0.0305
	Inches Hg	0.4911	13.60	1.133	1	7.858	0.03386	33.86	3.386	0.03453
	Osi	0.0625	1.73	0.144	0.127	1	0.00431	4.309	0.4309	0.0044
	Bar	14.50	401.5	33.45	29.53	232	1	1000	100	1.020
	mbar	0.0145	0.4015	0.03345	0.02953	0.232	0.001	1	0.100	0.00102
	kilopascals	0.1450	4.015	0.3345	0.2953	2.32	0.01	10	1	0.0102
	kg/cm ²	14.22	393.7	32.81	28.96	227.5	0.9807	980.7	98.07	1

A

RIF. REF.	DESCRIZIONE DESCRIPTION	LEGENDA LEGEND	FILETTO / FLANGIA THREAD / FLANGE
01	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	GS 25 H13	W 20 x 1/14" LH
02	GIRELLO ESAGONO UNI/ HEXAGON SWIVEL NUT	GS 25 H16	W 20 x 1/14" LH UNI
03	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	27-GG	Ø 21,8 x 1/14" LH
04	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	NF	Ø 21,8 x 1/14" LH
05	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	GS 27	Ø 21,8 x 1/14" LH
06	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	GS 28	M 22 x 2 LH
07	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	23 NF	M 20 x 1,5
08	G 3/4 NF M 88-767	3/4 NF	G 3/4 NF
09	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	30 NL	W 21,8 x 1/14" LH
10	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	30,5-BSI	M 21,8 x 1/14" LH
11	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	27 MSZ	W 21,8 x 1/14" LH
12	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	27 CZ	W 21,8 x 1/14" LH
13	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	28 BS 341	M 21,8 x 1/14" LH
14	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	DIN 477	W 21,8 x 1/14" LH
15	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	30 DIN-k	W 21,8 x 1/14" LH
16	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	30 Kombi	W 21,8 x 1/14" LH
17	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	30 DIN 477	W 21,8 x 1/14" LH
18	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	DIN 4811	W 21,8 x 1/14" LH
19	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	PN-71/M-40321	W 21,8 x 1/14" LH
20	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	30 BSI	G 5/8 A-LH
21	.880"-14NGO-LH	25 CGA	.880"-14NGO-LH
22	.880"-14NGO-LH	25 DIN	.880"-14NGO-LH
23	G 5/8 A-LH	POL-SA	G 5/8 A-LH
24	.880"-14NGO-LH	.880"-14NGO-LH	
25	M 22 x 1,5 L.H.	M 22 x 1,5 L.H.	
26	GIRELLO / SWIVEL	POL/SOFT	.880"-14NGO-LH
27	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	GS 19	G 3/8 4H
28	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	19 DIN 477	G 3/8 - LH
29	MASCHIO M 16 x 1,5	M 16 x 1,5	M 16 x 1,5
35	FEMMINA/FEMALE 7/16" - 28 UNEF	7/16" - 28 UNEF	
36	MASCHIO M 14 x 1,5	M 14 x 1,5	
37	MASCHIO M 20 x 1/14" LH	M 20 x 1/14" LH	
50	FILETTO FEMMINA / INTERNAL THREAD	F 1/4"	1/4" UNI-ISO 7/1 Rp
52	FILETTO FEMMINA / INTERNAL THREAD	F 3/8"	3/8" UNI-ISO 7/1 Rp
54	FILETTO FEMMINA / INTERNAL THREAD	F 1/2"	1/2" UNI-ISO 7/1 Rp
57	FILETTO FEMMINA / INTERNAL THREAD	F 3/4"	3/4" UNI-ISO 7/1 Rp
58	GIRELLO SEDE PIANA/SWIVEL NUT, NBR GASKET	GP 3/4"	3/4" UNI-ISO 7/1 Rp
59	GIRELLO SEDE SFERO CONICA/SWIVEL NUT, SPHERE-CONICAL SEAT	GSC 3/4"	3/4" UNI-ISO 7/1 Rc
62	FILETTO FEMMINA / INTERNAL THREAD	F 1"	1" UNI-ISO 7/1 Rp
63	Rc 1" ISO/7	F 1"Rc	1" UNI-ISO 7/1 Rc
66	ATTACCO FLANGIATO / FLANGED CONNECTION	DN 25 UNI PN40	DN 25 UNI PN40
70	ATTACCO FLANGIATO / FLANGED CONNECTION	DN 32 UNI PN16	DN 32 UNI PN16
71	ATTACCO FLANGIATO / FLANGED CONNECTION	DN 32 UNI PN25	DN 32 UNI PN25
75	ATTACCO FLANGIATO / FLANGED CONNECTION	DN 40 UNI PN16	DN 40 UNI PN16
76	ATTACCO FLANGIATO / FLANGED CONNECTION	DN 40 UNI PN25	DN 40 UNI PN25
80	ATTACCO FLANGIATO / FLANGED CONNECTION	DN 50 UNI PN16	DN 50 UNI PN16
81	ATTACCO FLANGIATO / FLANGED CONNECTION	DN 50 UNI PN25	DN 50 UNI PN25
85	ATTACCO FLANGIATO / FLANGED CONNECTION	DN 65 UNI PN16	DN 65 UNI PN16
86	ATTACCO FLANGIATO / FLANGED CONNECTION	DN 65 UNI PN25	DN 65 UNI PN25

ATTACCHI DI ENTRATA INLET CONNECTIONS

TABELLE TABLES



B

ATTACCHI DI USCITA
OUTLET CONNECTIONS

RIF. REF.	DESCRIZIONE DESCRIPTION	LEGENDA LEGEND	Ø / FILETTO / FLANGIA Ø / THREAD / FLANGE
01	PORTAGOMMA / HOSE NOZZLE	PH 10 UNI	Ø 10 UNI
02	PORTAGOMMA / HOSE NOZZLE	Ø 10 NF	
03	PORTAGOMMA / HOSE NOZZLE	Ø 11,7 MSZ	
04	PORTAGOMMA / HOSE NOZZLE	Ø 14	
05	PORTAGOMMA / HOSE NOZZLE	Ø 13,5 DS 24	
06	PORTAGOMMA / HOSE NOZZLE	Ø 6,85 BS	
07	PORTAGOMMA / HOSE NOZZLE	Ø 8,35 BS	
08	PORTAGOMMA / HOSE NOZZLE	Ø 10,05 BS	
15	FILETTO MASCHIO / EXTERNAL THREAD	G 1/4 sinistro / left-hand	
16	FILETTO MASCHIO / EXTERNAL THREAD	G 1/4 destro / right hand	
17	FILETTO MASCHIO / EXTERNAL THREAD	G 3/8 sinistro / left-hand	
18	FILETTO MASCHIO / EXTERNAL THREAD	G 3/8 destro / right hand	
19	FILETTO MASCHIO / EXTERNAL THREAD	G 1/2 sinistro / left-hand	
20	FILETTO MASCHIO / EXTERNAL THREAD	G 1/2 destro / right hand	
21	FILETTO MASCHIO / EXTERNAL THREAD	M 20 x 1,5	M 20 x 1,5
22	FILETTO MASCHIO / EXTERNAL THREAD	W20 x 1/14" LH (m.)	
23	FILETTO MASCHIO / EXTERNAL THREAD	M20 x 1,5 (m.)	
31	FILETTO FEMMINA / INTERNAL THREAD	F 1/4"	G 1/4"
32	FILETTO FEMMINA / INTERNAL THREAD	F 3/8"	G 3/8"
33	FILETTO FEMMINA / INTERNAL THREAD	F 1/2"	G 1/2"
34	FILETTO FEMMINA / INTERNAL THREAD	G 3/4"	
35	FILETTO FEMMINA / INTERNAL THREAD	1/4" UNI - ISO 7/1 Rp	
36	FILETTO FEMMINA / INTERNAL THREAD	3/8" UNI - ISO 7/1 Rp	
37	FILETTO FEMMINA / INTERNAL THREAD	F 3/4 "	3/4" UNI - ISO 7/1 Rp
38	FILETTO FEMMINA / INTERNAL THREAD	1/2" UNI - ISO 7/1 Rp	
40	FILETTO FEMMINA / INTERNAL THREAD	F 1"	1" UNI - ISO 7/1 Rp
39	FILETTO FEMMINA / INTERNAL THREAD	1" 1/4 UNI - ISO 7/1 Rp	
41	FILETTO FEMMINA / INTERNAL THREAD	F 1 1/2"	1" 1/2 UNI - ISO 7/1 Rp
51	GIRELLO ESAGONO / HEXAGON SWIVEL NUT	GP 1 1/4"	1" 1/4 UNI - ISO 7/1 Rp
53	ATTACCO FLANGIATO/FLANGED CONNECTION	DN 25 PN40	
54	ATTACCO FLANGIATO/FLANGED CONNECTION	DN 32 PN16	
55	ATTACCO FLANGIATO/FLANGED CONNECTION	DN 32 PN25	
56	ATTACCO FLANGIATO/FLANGED CONNECTION	DN 40 PN16	
57	ATTACCO FLANGIATO/FLANGED CONNECTION	DN 40 PN25	
58	ATTACCO FLANGIATO/FLANGED CONNECTION	DN 50 PN16	
59	ATTACCO FLANGIATO/FLANGED CONNECTION	DN 50 PN25	
64	ATTACCO FLANGIATO / FLANGED CONNECTION	DN 65 UNI PN16	DN 65 UNI PN16
65	ATTACCO FLANGIATO / FLANGED CONNECTION	DN 65 UNI PN25	DN 65 UNI PN25

1. NORMATIVA E FORMAZIONE DEL CONTRATTO

- a. Le presenti condizioni generali di vendita, salvo eventuali deroghe concordate per iscritto, disciplinano tutti gli attuali e futuri contratti di vendita fra le parti.
- b. Eventuali condizioni generali dell'Acquirente non trovano applicazione, neppure parziale se non espressamente accettate per iscritto dalla Samtech S.r.l.
- c. Il contratto si intende concluso al ricevimento da parte dell'Acquirente della conferma d'ordine della Samtech S.r.l. e secondo i termini e le condizioni particolari ivi indicate.
- d. Le offerte fatte da agenti, rappresentanti ed ausiliari di commercio della Samtech S.r.l. non sono per essa impegnative fino a quando non siano confermate dalla stessa.
- e. L'invio da parte della Samtech S.r.l. di listini prezzi o di materiale descrittivo dei prodotti non recante espressamente la dizione "offerta" o altra equivalente, non può essere considerata proposta
- f. In caso di difformità fra le presenti condizioni generali di vendita e la conferma d'ordine quest'ultima prevale.

2. CAMPIONI E MODIFICHE

- a. La Samtech S.r.l. si riserva di apportare ai propri prodotti quelle modifiche tecniche e costruttive dettate da esigenze di produzione senza obbligo di comunicazione.
- b. Le caratteristiche di campioni e disegni, nonché quelle del listino prezzi e di modelli hanno carattere di indicazioni approssimative e non hanno valore impegnativo per la Samtech S.r.l.

3. PREZZI

- a. I prezzi si intendono franco fabbrica Samtech S.r.l. e sono soggetti a variazioni per differenze di cambi, per aumenti di tariffe doganali, trasporti, mano d'opera, materie prime.
- b. I prezzi non comprendono l'imballaggio, che sarà addebitato separatamente.

4. PAGAMENTO

- a. I pagamenti, e ogni altra somma dovuta a qualsiasi titolo alla Samtech S.r.l. si intendono netti a domicilio della Samtech S.r.l.
- b. I pagamenti fatti ad agenti o rappresentanti di commercio della Samtech S.r.l. non si intendono effettuati finché le relative somme non pervengano alla stessa.
- c. Qualsiasi ritardo o irregolarità nel pagamento dà alla Samtech S.r.l. il diritto di sospendere le forniture o di risolvere i contratti in corso anche se non relativi ai pagamenti in corso. La Samtech S.r.l. ha in ogni caso diritto, a decorrere dalla scadenza del pagamento e senza necessità di messa in mora, agli interessi moratori nella misura del 10%.
- d. Il ritardo nel pagamento comporterà a carico del compratore il rimborso alla Samtech S.r.l. delle spese di insoluto e amministrative per un importo forfetario di Euro 15,00 per ogni insoluto.
- e. L'acquirente è tenuto al pagamento integrale anche in caso di contestazione o controversia. Non è ammessa compensazione con eventuali crediti, comunque insorti, nei confronti della Samtech S.r.l.

5. RISERVA DI PROPRIETÀ'

- a. Nel caso in cui il pagamento debba essere effettuato, in tutto o in parte, dopo la consegna, i prodotti consegnati restano di proprietà della Samtech S.r.l. fino al momento del completo pagamento della fornitura.

6. GARANZIA E RECLAMI

- a. La Samtech S.r.l. garantisce la conformità dei prodotti forniti, garantendo che corrispondono per qualità e tipo a quanto stabilito nella conferma d'ordine e che sono esenti da vizi che potrebbero renderli non idonei all'uso cui sono destinati.
- b. La garanzia per i vizi è limitata ai soli difetti dei prodotti conseguenti a difetti di progettazione, di materiale o di costruzione riconducibili alla Samtech S.r.l., e non si applica nel caso in cui l'Acquirente non possa provare di aver effettuato un corretto uso, manutenzione e conservazione dei prodotti e di non averli modificati o riparati senza il consenso della Samtech S.r.l.
- c. La garanzia ha durata limitata a 12 (dodici) mesi a partire dalla data di installazione e comunque non superiore ai 18 mesi. La garanzia è comunque subordinata alla verifica che i materiali siano stati immagazzinati, manutenzionati ed utilizzati secondo le istruzioni della Samtech S.r.l.
- d. L'acquirente è tenuto a verificare che i prodotti non siano difettosi e che corrispondano alla conferma d'ordine. Eventuali reclami debbono essere notificati per iscritto dall'Acquirente entro 7 (sette) giorni dalla data di ricevimento della merce.
- e. In seguito a regolare denuncia dell'Acquirente, effettuata ai sensi del presente articolo, la Samtech S.r.l., a sua scelta, potrà:
 - fornire gratuitamente, franco fabbrica, all'Acquirente prodotti dello stesso genere e qualità di quelli risultati difettosi o non conformi a quanto pattuito;
 - accreditare all'Acquirente una somma di denaro pari al valore dei prodotti risultati difettosi o non conformi.
- f. Qualora il reclamo risulti infondato, l'Acquirente sarà tenuto a risarcire alla Samtech S.r.l. tutte le spese da questi sostenute per l'accertamento.

7. LIMITI DI RESPONSABILITÀ:

- a. La Samtech S.r.l. non potrà in alcun modo essere considerata responsabile di danni quali, ma non limitati, a: danneggiamenti, distruzioni di beni o attrezzature appartenenti ad altri, mancata produzione o utile, costi di capitale e costi d'acquisto dei beni di sostituzione.

8. CONSEGNA

- a. Salvo accordo diverso, la vendita si intende effettuata Franco Fabbrica Samtech S.r.l. – Albignasego (Padova) (INCOTERMS 2000). Nel caso in cui sia convenuto che la spedizione o parte di essa sia curata dalla Samtech S.r.l., la stessa agisce come mandatario dell'Acquirente, restando inteso che il trasporto è effettuato a spese e a rischio dell'Acquirente.
- b. I termini convenuti per le consegne sono indicativi e non impegnativi; decorrono dalla data della nostra conferma d'ordine. Eventuali ritardi o la mancata esecuzione parziale o totale della fornitura non possono dar luogo in alcun caso da parte dell'Acquirente alla richiesta di penalità o di danni conseguenti direttamente o indirettamente al ritardo di consegna.

9. FORO COMPETENTE

- a. Per ogni controversia relativa o comunque collegata ai contratti cui si applicano le presenti condizioni generali è esclusivamente competente il foro di Padova; la Samtech S.r.l. ha tuttavia il diritto di agire presso il foro dell'Acquirente.
- b. Per quanto non previsto nelle presenti condizioni generali di vendita, valgono le norme del Codice Civile che regolano il contratto di compravendita.

1. REGULATION AND DRAWN UP OF THE CONTRACT:

- a. Herein Sales condition, unless stated in writing, regulate all present and future sale contracts between parts.
- b. Any other Sales condition of the Buyer can not be applied, neither partial otherwise accepted in writing by Samtech S.r.l.
- c. The contract is meant to be drawn up on Buyer's receipt of the order confirmation issued by Samtech S.r.l. and according to the standard terms and conditions of sale.
- d. Quotations done by agents, sales representatives of Samtech S.r.l. are not binding for Samtech S.r.l. itself if not confirmed by Samtech S.r.l.
- e. Price list or descriptive material of products sent by Samtech S.r.l. without the clear expression "quotation" or other similar, can not be considered as a proposal.
- f. In case of discrepancy between the present Sales condition and the order confirmation this one prevails.

2. SAMPLES AND MODIFICATION:

- a. Samtech S.r.l. reserves the right to vary the design or the construction of goods manufactured at any time without the obligation of communication.
- b. The characteristics of samples and drawings, as well as the ones of the price list have to be considered as indications and are not binding for Samtech S.r.l.

3. PRICES:

- a. All prices are quoted EXW Samtech S.r.l. (INCOTERMS 2000) and can be adjusted to take into account any exchange rate fluctuations, increases in customs fees, transportation, labour and raw materials.
- b. Prices do not include packaging, that shall be charged separately.

4. PAYMENT:

- a. Payments and any other sum due to Samtech S.r.l., at any title, are to be considered net at the address of Samtech S.r.l.
- b. Payments done to agents or sales representatives of Samtech S.r.l. are not taken into consideration until the amount arrives at Samtech S.r.l.
- c. Any delay or irregularities in payment gives to Samtech S.r.l. the right to suspend deliveries and annul contracts even if not connected with payments. After the expiration of payment and without the necessity of bringing a default action, Samtech S.r.l. has the right to the interest in the measure of 10%.
- d. Any delay in payment shall bring to the Buyer the refund to Samtech S.r.l. the unsettled and administrative expenses for an amount of euro 15,00 for each unpaid.
- e. The Buyer is bound to the total payment even in case of objection or dispute. No compensation is accepted with possible credits, somehow come up, against Samtech S.r.l.

5. CONDITIONAL SALE:

- a. When the payment is to be settled, for all or part, after delivery, all delivered products remain in the property of Samtech S.r.l. until the complete payment of the supply.

6. WARRANTY AND CLAIMS:

- a. Samtech S.r.l. warrants the conformity of the supplied products, assuring that for quality and type correspond to what established in the order confirmation and that they are without defects that might make them not suitable for their use.
- b. Warranty for defects is limited to the defects of the products due to design defects, material or manufacturing lead back to Samtech S.r.l., and it is not applied if the Buyer can not attest the correct use, maintenance and preservation of the products and not to have modified or repaired without the authorisation of Samtech S.r.l.
- c. Samtech S.r.l. warranty lasts for 12 (twelve) months from date of installation and in any case not more than 18 (eighteen) months. However, the warranty of Samtech S.r.l. is subordinate to written notification and substantiation that goods have been stored, installed, maintained and operated in accordance with Samtech S.r.l. recommendations and standard industry practice.
- d. The Buyer is under a duty to carry out whatever tests and inspections it deems necessary in order to ascertain whether or not any of the goods are defective and correspond to the order confirmation. Any complaints must be notified in writing to Samtech S.r.l. within 7 (seven) days from the date of receipt of the goods.
- e. As a consequence of a regular complaint of the Buyer, Samtech S.r.l. will, at its choice:
 - Supply free of charge, EXW Albignasego (Padova) Italy, to the Buyer goods of the same type and quality of those found to be defective or not in accordance with the order confirmation;
 - Credit to the Buyer a sum of money for the total value of all goods found to be defective or not in accordance with the order confirmation
- f. In the event of an unjustified claim, the Buyer will be obliged to pay to Samtech S.r.l. all the expenses for the verification.

7. LIMITATION OF LIABILITY:

- a. Samtech S.r.l. shall not under any circumstances be liable to special or consequential damages such as, but not limited to, damage or loss of other property or equipment, loss of profits or revenue, cost of capital, cost of purchased or goods replacement, or claims of our initial purchaser's customer.

8. DELIVERY:

- a. Otherwise different agreement, all sales are done EXW Albignasego (Padova) – Italy (INCOTERMS 2000). In the case it is agreed that Samtech S.r.l. has to take care of part or all delivery of the goods, Samtech S.r.l. acts as a mandatory of the Buyer, it remains agreed that transport is done at expenses and risk of the Buyer.
- b. Delivery terms are indicative and not binding; delivery terms start from the order confirmation issued by Samtech S.r.l. In case of prospective delivery delays or the non-delivery of part or all goods the Buyer can not claim for any penalty or damages connected with the delivery's delay.

9. LAW AND JURISDICTION:

- a. For any dispute arising out of or in connection with this Condition of sales the competent law court is the Court of Justice of Padova (Italy); anyway Samtech S.r.l. reserves the right to act in the law court of the Buyer.
- b. For what is not foreseen in the following Condition of Sales, are valid the articles of the Italian Civil Code in which it is regulated the contract of sale.



fifty years of experience in gas field

ISO 9001 registered company